

LOUISIANA'S 1987 BEACH CLEANUP

GB 454 .B3 L56 1988 Dianne M. Lindstedt Joseph C. Holmes, Jr. Louisiana Geological Survey Baton Rouge, Louisiana 1988 STATE OF LOUISIANA

Buddy Roemer, Governor

DEPARTMENT OF NATURAL RESOURCES

Raymond W. Stephens, Jr., Secretary

LOUISIANA GEOLOGICAL SURVEY

C. G. Groat, Director and State Geologist

Financial assistance was provided by the Coastal Zone Management Act of 1972, as amended, administered by the Office of Ocean and Coastal Resource Management, National Oceanic and Atmospheric Administration.

This public document was published at a cost of \$ 2475. One thousand copies of this public document were published in this printing at a cost of \$ 2475. The total cost of all printings of this document including reprints is \$ 2475. This document was published by the Department of Natural Resources, P.O. Box 94396, Baton Rouge, Louisiana, 70804, to inform the public under authority of P.L. 92-583 and La. R.S. 49:213. This material was printed in accordance with the standards for printing by state agencies established pursuant to R.S. 43.31.

SEPTEMBER SWEEP

LOUISIANA'S 1987 BEACH CLEANUP

by

Dianne M. Lindstedt Joseph C. Holmes, Jr. Louisiana Geological Survey

THE STARTMENT OF COMMERCE NOAA CLASTAL SERVICES CENTER
THAT SOUTH HOBSON AVENUE
THARLESTON, SC 29405-2413

a report to the Coastal Management Division Louisiana Department of Natural Resources

under DNR Interagency Agreement no. 21912-88-15

6.18454.183 LSS 1988 22150798

1988

Property of CSC Library

Table of Contents

	<u>Page</u>
Foreword	νi
Acknowledgements	viii
Introduction	. 1
The Litter Problem	1
Cleanup Organization	3
Data Collection	5
Statewide Results	5
Results by Area	18
Extended Data Collection	25
Litter Laws	28
Adopt A Beach Program	29
Sea Turtles	29
Conclusion	30
Selected Reading	33
Appendix A: Contributors	
Appendix B: Organizers and Coordinators	
Appendix C: Miscellaneous Collected Items	
Appendix D: Litter Collected at Each Beach	
Annendix F: litter Collected at MMS Adopted Beach 1987-1988	

List of Tables

			<u>Page</u>
Table	1.	Summary of 1987 cleanup by zone	9
Table	2.	Number of cards used for data analysis	9
Table	3.	Categories of litter and items included	13
Table	4.	Statewide estimates of litter	16
Table	5.	Comparison of litter in each area	20
T abl e	6.	Ten most common items found	23
Table	7.	Summary of litter collected at MMS adopted beach	25
Table	8.	Material composition of litter on MMS adopted beach	26
Table	9.	Categories of litter on MMS adopted beach	27
Table	10.	Composition of beverage-related litter on MMS adopted beach	27

List of Figures

			<u>Page</u>
Figure	1.	Volunteers cleaning Rutherford Beach	2
Figure	2.	Debris on typical Louisiana beach	2
Figure	3.	A boat flotilla transported cleanup volunteers to limbalier Island and Isles Dernieres	4
Figure	4.	Data card used during 1987 cleanup	6
Figure	5.	Louisiana coastal cleanup areas	8
Figure	6.	Polystyrene cups are the most common type of litter on Louisiana beaches	1.0
Figure	7.	Material composition of litter, by number of items	11
Figure	8.	Plastics may take 400-500 years to decompose	12
Figure	9.	A. Categories of litter and their sizes B. Composition of beverage-related litter	14
Figure	10.	Operational wastes	15
Figure	11.	Material composition of litter in each area	18
Figure	12.	Proportion of items in each category of litter	22
Figure	13.	Wastes from commercial fishing	19
Figure	14.	Composition of beverage-related litter in each area	24
Figure	15.	Once collected, beach litter must be transported for disposal	30

FOREWORD

In 1982, people concerned about the degradation and destruction of coastal resources began what came to be known as the national Coastweek celebration. They set aside this time to learn about, and to educate others about, the nation's coastal areas and the many benefits and problems associated with these vanishing resources. The word of their good works spread across the nation, especially among environmental groups, and soon a number of other states had begun planning Coastweek activities of their own.

By 1984, Louisiana's environmental groups and state agencies, such as the Sierra Club and the Department of Natural Resources' coastal zone management program, had begun a series of educational programs and publications inspired by Coastweek. At a Sierra Club meeting in New Orleans in September 1985, with that year's official Coastweek activities about a month away, someone suggested, "We should do something to celebrate Coastweek! Let's have a beach cleanup at Grand Isle!"

Not expecting to get into any trouble, Margie Vicknair Shoenfeld, coordinator of the Louisiana Nature and Science Center's "Recycle New Orleans" program, heard the question and volunteered that she knew several people who would likely help in such an effort. The operative word here is *volunteered*—Margie was named to head the effort.

After calling upon the resources of Recycle New Orleans, Margie contacted Calvin Fair, Executive Director of the newly formed Clean Team. Calvin put the wheels in motion in Baton Rouge and a few weeks later, at 5:30 a.m., two buses rolled out of Baton Rouge onto the highway to Grand Isle, joining another bus and a number of cars from New Orleans.

That first year the cleanup included over 125 participants who picked up 22 dump truck loads of trash from 6 miles of Grand Isle's public beaches and then relaxed with picnic lunches at Grand Isle State Park. Tommy Marullo, then mayor of Grand Isle, was so impressed he invited the group back, promising a party for the next year's participants.

In September 1986, "Mayor Tommy" made good on his promise with a shrimp boil for the more than 350 volunteers who returned for Louisiana's second annual beach cleanup at Grand Isle. During the two-day event, participants enjoyed numerous activities including workshops about coastal erosion in Louisiana, barrier islands, beach litter, and plastics pollution in the Gulf of Mexico. Villere Reggio, Rigs to Reefs Coordinator for the U.S. Department of the Interior's Minerals Management Service, and a volunteer from New Orleans, suggested that the activities be expanded to a statewide effort in 1987.

In April 1987, we accepted the challenge at the Louisiana Coastal Cleanup '87 organizational meeting. Over 60 participants gathered at the Rockefeller Refuge meeting, organized by Reggio and hosted by Cameron Parish officials. What followed, on September 19, 1987, was Louisiana's first statewide beach cleanup. Over 3,000 participants volunteered their time, effort, and services to make Louisiana's cleanup among the best in the nation and the only one we know of that was run by volunteers without direct state funding. Industries, including many oil and other offshore companies, donated staff, equipment, services, and cash to help with the massive project. Others donated food, drinks, and entertainment

as well, for the celebrations that followed all across the Louisiana Gulf Coast. We may not have the biggest cleanup in the Gulf Coast area (yet!), but we sure do throw the best parties!

This report records and analyzes the results of surveys taken during the 1987 cleanup. Although it is just a beginning, we hope it also brings an ending to the tons of trash and debris defacing our beautiful coasts and causing so much needless harm to marine life. We hope our efforts have brought more attention to the serious problems of coastal erosion; for, as we joked with some of the volunteers at the second cleanup on Grand Isle after Hurricane Juan had washed away areas we had cleaned only a year before, "If we don't work to stop coastal erosion, we won't have to drive very far to do beach cleanups!" A sad statement, that happens to be true. Help us help Louisiana. We love our state and we hope you do too--enough to do something for it.

Margie Vicknair Schoenfeld Colorin E. Fair

-- Margie M. Vicknair Calvin E. Fair State Coordinators 1985, 1986, 1987

ACKNOWLEDGEMENTS

The authors thank the Coastal Management Division of Louisiana's Department of Natural Resources for providing the funding to complete this publication. Special thanks go to all the volunteers who picked up trash at the cleanup and recorded information about it, and to the beach captains who kept them organized. We also thank Bo Blackmon and Mike Liffman for reviewing the manuscript; Dean Roome and Steve Rabalais for supplying us with some of the photos; Dolores Falcon for typing the report; Elizabeth Willis and Kristin Stegall for entering all the data; Ed Koch, Ed Babin, and Matthew Armand of the LGS Cartographic Section for producing the graphics; and Jacquelyn Monday for editing the report.

Introduction

The September Sweep of the Beach, the first statewide Louisiana Coastal Cleanup, was held on September 19, 1987. Some 3300 volunteers helped "lend a hand in the sand" by removing about 200 tons of litter from beaches in Cameron, St. Mary, Terrebonne, Lafourche, Jefferson, and Plaquemines parishes.

Earlier recognition that Louisiana's beaches were littered with unsightly and often dangerous trash and debris had prompted local cleanup efforts at Grand Isle in 1985 and 1986. Texas' 1986 coastwide cleanup focused Gulfwide attention on the problem and inspired a larger project. Education efforts and an increase in public involvement resulted in Louisiana's expanded statewide effort in 1987. The cleanup, planned to coincide with the nationwide observance of "Coastweek" and on the same day as Texas' second statewide effort, afforded the opportunity to involve the public in gathering data on the composition, distribution, and hence, possible sources of litter on Louisiana's beaches (figure 1). Information gathered by the cleanup participants and compiled here provides the first statewide overview of coastal debris.

The Litter Problem

Litter (defined as any discarded manufactured object of plastic, metal, wood, glass, paper, or natural fiber) on beaches worldwide is a relatively recent phenomenon. For centuries standard practice for merchant ships has been to dispose of wastes overboard. This caused few problems in the oceans or coastal areas because of the biodegradable nature of the wastes. During the 1960s and 1970s, however, plastics and polystyrene (widely known by a trade name, Styrofoam), which may take up to 500 years to decompose, replaced much of the glass, paper, and wood formerly used as packaging. Cotton and hemp ropes, fish nets, and fishing lines were replaced by polypropylene and other durable plastic-like materials. The continued practice of overboard waste disposal by ships, the loss or disposal of synthetic netting by fishing fleets, and improper trash disposal by recreational boaters and others have contributed to the ubiquitousness of plastic debris in the world's oceans and on beaches from Louisiana to Antarctica.

In addition to being aesthetically unpleasant on a beach, marine debris, particularly that made of plastic, has had serious impacts on marine life. Photographs of seals, seabirds, marine turtles, and fish entangled in discarded fishing nets, six-pack yokes, and rope have become common in newspapers and magazines. Less graphic but of equally serious proportions (because of its greater ecological significance) is the ingestion of plastic materials by sea life. Endangered and threatened whales, sea turtles, and seabirds have been known to ingest plastics—a practice which commonly results in death. While most of the publicized evidence of marine entanglement and ingestion of plastics has come from the northwest Pacific Ocean and the Hawaiian Islands, such incidents have also occurred in the Gulf of Mexico. Since 1976, there have been eleven documented cases of entanglement of sea turtles in the Gulf; in 1984 a pygmy sperm whale which had beached itself at Galveston died as a result of ingesting plastics; in 1988 a minke whale which stranded itself at Matagorda Beach in Texas died of starvation stemming from plastics accumulated in its digestive tract.



Figure 1. Volunteers cleaning Rutherford Beach.



Figure 2. Debris on typical Louisiana beach.

The extent of marine litter worldwide is enormous. In 1985, Horsman estimated that at least 450,000 plastic containers were dumped daily by shipping fleets. Although this estimate is impressive, it still does not include plastic items such as packing pellets, bands, polystyrene, or six-pack rings. Horsman also estimated that commercial fishing fleets contribute about 23,000 tons of plastic packaging to worldwide litter annually.

Louisiana's coastal litter problem stems from debris washed ashore from several different sources, such as merchant ships, oil and gas platforms, fishing vessels, navy vessels, and river runoff; and from litter left on the beach by people engaged in such recreational activities as camping, fishing, and swimming. The Louisiana Geological Survey (LGS) has recently determined that from 5000 to 23,000 pieces of litter mar each mile of Louisiana beach (figure 2).

Cleanup Organization

Louisiana's statewide cleanup in 1987 was mainly a private undertaking. The state coordinators, Calvin Fair and Margie Schoenfeld, donated their time to plan, coordinate, and carry out the project. Many people contributed services, money, and supplies. (See Appendix A for a list.) Several state- and federally funded organizations, such as the LGS, the Department of Natural Resources' (DNR) Coastal Management Division (CMD), Louisiana Sea Grant at Louisiana State University (LSU), and the U.S. Minerals Management Service (MMS), contributed employee time and other resources to make the cleanup a success.

The state was divided into two areas (east and west), and then into five zones, each with designated zone coordinators (listed in Appendix B) responsible for organizing cleanup operations in their zones. The zone coordinators recruited and organized beach captains and helped recruit other volunteers. They provided the beach captains with the materials needed for a successful cleanup and data collection. They arranged for the distribution of trash bags and pickup and disposal of the collected trash. They developed communications between state coordinators and beach captains; coordinated media coverage and press releases; arranged for buses, carpools, and discounts for local lodging; and coordinated and obtained funding for the post-cleanup celebrations.

The beach captains identified and marked segments of beaches for cleanup operations, coordinated with zone coordinators, and talked to local civic and sporting groups promoting the cleanup. They made sure that volunteers had data collection materials and trash bags. They also directed volunteers to cleanup sites and worked out transportation plans and arranged for trash pickup at the sites. Beach captains advised the zone coordinator of the number of bags collected, number of volunteers, and number of miles cleaned. They also collected completed data cards and photographed the event.

The collected litter was disposed of differently in each zone. For example, in the Chandeleur zone, U.S. Fish and Wildlife Service personnel collected the bags and transported the litter for disposal. At Grand Isle, the litter was gathered by Conoco and the town of Grand Isle and transported to a Jefferson Parish landfill. In the Fourchon zone, Solid Waste Contractors of LaRose picked up the trash bags and took them to a Raceland landfill. In the Timbalier zone litter was transported by boat to trash receptacles at the Louisiana Universities Marine Consortium (LUMCON). The Office of State Parks picked up

the Acadiana zone bags and transported them to a landfill. In Cameron the litter was collected in dumpsters which were then transported to a landfill outside the parish.

Louisiana was unique in extending its cleanup to relatively inaccessible areas of the coast. Boy Scout Troop 107 from New Orleans, led by Villere Reggio, cleaned up North Breton Island with the assistance of Shell Offshore, Inc., U.S. Fish and Wildlife Service, and Kerr McGee, a week before the statewide cleanup. The Gulf Coast Conservation Association, aided by Mid-Continent Oil and Gas, Louisiana Land and Exploration, Tenneco LaTerre, Chevron, and Texaco, organized a "boat flotilla" to bring 350 volunteers to Timbalier Island and Isles Dernieres (figure 3).

Publicity was handled by the state coordinators, zone coordinators, and the beach captains. Several public service announcements on the radio, radio talk shows, newspaper stories, and television spots publicized the event a few weeks in advance. Statewide publicity was furthered by the Louisiana Sea Grant College Program and by the Coastal Management Division of DNR. They prepared and/or funded posters, flyers, public service announcements, educational materials, and workshops. Celebrations varied with zones and beaches, some with music, others with educational displays and talks. Sandwiches, crabs, shrimp, hot dogs, soft drinks, and beer were consumed statewide. Although the weather was stormy, rainy, and hot, the first statewide cleanup was a huge success. Overall 3300 volunteers cleaned about 60 miles of Louisiana beaches in two hours, filling about 16,000 bags which altogether weighed about 200 tons.



Figure 3. A boat flotilla transported cleanup volunteers to Timbalier Island and Isles Dernieres.

More important, many volunteers grew to appreciate the enormity of the problem of litter and trash disposal not only on the beaches but throughout the state. Many volunteers were amazed by what they found littering Louisiana beaches, and will think more about what happens to their own trash and make an effort to properly dispose of or recycle it.

Data Collection

Data cards originally designed for the 1986 Texas cleanup by the Center for Environmental Education, a national environmental action group, were modified for the Louisiana cleanup. The changes were based on preliminary beach surveys conducted by the LGS as part of a year-long study of trash and debris on Louisiana beaches. This study, funded by the Coastal Management Division of the Louisiana Department of Natural Resources, provided additional information about the seasonality and geographical distribution of debris on Louisiana's beaches.

The data card lists 70 items grouped primarily by composition (plastic, rubber, glass, styrofoam, metal and paper). Figure 4 is a sample data card used during the cleanup. One category, fishing gear, contains items of various composition but with a common purpose. The "total number of bags filled" box was important in extrapolating data for the entire cleanup.

Data cards were distributed to volunteers on the day of the cleanup, along with pencils and instructions on recording data and litter recognition. The cards were collected by the beach captains at the end of the day. A few completed cards were mailed in late. Of the 485 cards returned to the LGS, 412 cards representing 14 beaches contained usable data, which the LGS evaluated and analyzed.

Statewide Results

The location of the beaches is shown in figure 5: eight were within the Cameron zone, one in the Acadiana zone, two in the Timbalier zone, one in the Fourchon zone, two in the Grand Isle zone, and one in the Chandeleur zone. Table 1 summarizes the distribution of volunteers, volume of litter collected, number of bags collected, and miles of beaches cleaned. Over 60 miles of beach were cleaned by about 3300 volunteers. About one-half of the litter was collected along Cameron beaches where about one-half of the volunteers were in action.

The number of data cards completed and returned by zone and beach is listed in table 2. The greatest response came from Fourchon Beach (152), Grand Isle (76), and Timbalier Island (83). Responses were greater there because several organized groups at those beaches, such as the Louisiana Department of Environmental Quality, LSU's Department of Geography and Anthropology and the Center for Wetland Resources, the U.S. Minerals Management Service, and the Sierra Club, had been briefed about the data cards before the cleanup. In addition, a morning rain in Cameron made data collection more difficult there.

Less than 1% of all the litter was of foreign origin, but this type of litter was more interesting to the volunteers and researchers because it is a

ITEMS COLLECTED

You may find it helpful to work with a buddy as you clean the beach, one picking up trash and the other taking notes. An easy way to keep track of the items you find is to make tick marks like this:

TOTAL

	TOTAL	TOTAL
	NUMBER.	NUMBER
	OF ITEMS	OF ITEM
PLASTIC	·S7	TYROFO AM
oags	cu	ips
olue salt bags		od trays
		g cartons
-pack holders		acking
ottles:		pieces
cleaners		IETAL
		ins:
ope		pop
ups, utensils		beer
nilk, water jugs		food/juice
		aerosol cans
trapping bands		ottle caps
egetable sacks		ıll tabs
		her cans
write protection" rings		rge containers
		rums: rusty new
oys		ire
uckets		ecesher (specify)
iapers ghters		ner (specify)
·	Y -1	ISHING GEAR
		et fragments
ipe thread protectors askets/crates		hing line
		et floats
		ght stick s
oner (speemy)		ab traps
RUBBER		other (specify)
		und (aposta)
		APER
		ags
GLASS		ips
ottles/jars:		rtons
• •		ewspaper
beer		есев
wine coolers		her (specify)
ght bulbs		OOD (do not include driftwood, twigs, etc.)
		allets
		ates
ther (specify)		eces
(-2-4-1)		her (specify)

Figure 4. Data card used during 1987 cleanup.

TOTAL NUMBER OF BAGS FILLED _____

BEACH CLEANUP DATA CARD

DIRECTIONS

- 1. Complete the information below.
- 2. Open card to record items collected during cleanup.
- 3. After cleanup, answer the questions on the back of this card and return it to your Beach Captain or mail it to LGS at the address above.

Name	Affiliation
Address	Zip Phone
Occupation	M _ F _ Age
Today's Date: Month Day Year Nar	ne of your Beach Captain
Location of beach cleaned	Nearest City
How did you hear about the cleanup?	•

SAFETY TIPS


- 1. Do not go near any large drums; report their location to your beach captain.
- 2. Wear shoes and gloves.
- 3. Do not handle any marine mammals or sea turtles; report their location to your beach captain.
- 4. Stay out of dune areas.
- 5. Be careful with sharp objects.
- 6. Do not pick up dead fish.
- 7. Do not pick up trash that may be harmful.
- 8. Do not lift anything too heavy.

COMPLETE THIS PORTION AFTER CLEANUP

Estimated miles of beach cleaned	Number of bags filled
We are particularly interested in identifying the SOURCES	
please list all items that have labels or company names.	. Indicate country of origin of
foreign items.	
Managed Carron Wester light	14.
EXAMPLE: Claracol (green plastic bott	<i>u</i>)
ŭ	
OBSERVATIONS OF STRANDED AND/OR ENTANGLED MAR	RINE MAMMALS OR SEA TURTLES.
<u> </u>	
What was the most peculiar item you collected?	
	_
Comments	

PLEASE RETURN THIS CARD TO YOUR BEACH CAPTAIN OR MAIL IT TO:

Louisiana Geological Survey
P. O. Box G, University Station
Louisiana State University
Baton Rouge, LA 70893



(Elmer's Island targetted but not cleaned.) Figure 5. Louisiana coastal cleanup areas.

Table 1. Summary of 1987 cleanup, by zone.

<u>Zone</u>	Number of <u>Volunteers</u>	Weight (Tons)	Bags (Number)	Miles Cleaned	Beaches
Cameron	1500+	100+	8,000	40+	Martin Beach Long Beach Ocean View Chaisson Beach Constance Beach Holly Beach Broussard Rutherford Beach
Acadiana	200+	2+	210	1	Cypremort Point Beach
Timbalier	350+	22+	1,750	12+	Isles Dernieres Timbalier Island
Fourchon	575+	13+	1,000	6+	Fourchon Beach
Grand Isle	600+	56+	4,500	8+	Grand Isle Grand Terre
Chandeleur	26	2.5	110	2	North Breton Island
	3251+	195+	15,500	69+	15

Table 2. Number of completed data cards collected and used for data analysis, by beach.

	Collected	<u>Used</u>
<u>Cameron Zone</u> Martin Beach	3	3
Long Beach Ocean View Chaisson Beach	2	2
Constance Beach	6 16	6 16
Holly Beach Broussard	12 55	12 33
Rutherford Beach Unidentified	23 <u>14</u> 131	23 14
	131	109
Acadiana Zone		
Cypremort Point Beach	0	0
<u>Timbalier Zone</u> Isles Dernieres	23	
Timbalier Island Unidentified	83 4	19 59 4
oniaentiffed	110	82
Fourchon Zone		
Fourchon Beach	152	143
Grand Isle Zone		
Grand Isle Grand Terre	76 	62
arana refre	83	69
Chandeleur Zone		
North Breton Island	9	9
TOTAL	485	412

novelty. Litter with foreign labels ranged from bathroom cleaners and detergent to aerosol cans and food bottles. Litter from these 17 countries was collected: Belgium, Brazil, China, France, Germany, Greece, Japan, Korea, Malaysia, Mexico, The Netherlands, Norway, Singapore, Spain, Thailand, the U.S.S.R., and Venezuela.

Virtually anything imaginable was collected during the cleanup, from air conditioning filters to Zatarain's spice bottles (see Appendix C). Some unusual items included a dog dish, hair curlers, deodorant, ear plugs, a dust pan, a flower pot, and makeup. Large objects included tires, crates, refrigerators, dryers, washing machines, a reclining chair, propane tanks, and boat hulls. Many items found were not listed on the data sheet. Some of the most common "write in" items were cigarette butts (166 recorded) and fishing tackle (137 recorded). Others were nails, cigarette packs, rubber work gloves, aluminum foil, pieces of plastic, paper plates, oil bottles, rubber hoses, and shotgun shells. Some people found useful items such as money, unopened beer and soft drinks, undamaged fishing lures, and popping corks. In addition, 42 medicine bottles and 35 syringes were recorded, along with medical vials, intravenous bags, and surgical masks. Such medical wastes have recently become a national concern.




Figure 6. Polystyrene cups are the most common type of litter on Louisiana beaches.

The ten most common items found statewide were:

- 1) Polystyrene cups
- 2) Polystyrene pieces
- 3) Plastic caps and lids
- 4) Plastic bags
- 5) One-gallon milk jugs
- 6) Beer cans
- 7) Glass soft drink bottles
- 8) Rope
- 9) Soft drink cans
- 10) Polystyrene food trays

One-half of these items are beverage-related, indicating that much of the beach litter cannot be traced to a particular group of people. Polystyrene cups were the most common item found statewide (figure 6). Although this type of cup is widely used, many oil companies use large quantities of such containers on their rigs daily. During the cleanup, volunteers from Conoco Oil Company noticed the abundance of polystyrene cups and recommended to their company that it change to paper cups, which are more biodegradable.

Statewide, plastics were the most common type of litter, comprising 42% of all the items (figure 7). Polystyrene was second, comprising 23% of the litter, followed by metal (13%), glass (12%), paper (5%), and rubber (1%). More than one-half (65%) of the litter was made of plastic or polystyrene, which may take from 400 to 500 years to decompose (figure 8).




Figure 7. Material composition of litter, by number of items.

The abundant litter on Louisiana's beaches comes from many sources. Some items are attributable to specific user groups. For example, hard hats and pipe thread protectors come from the oil and gas industry; light sticks (plastic tubes containing luminescent chemicals, which are used to attract swordfish) and plastic 50-pound salt bags come from the commercial fishing industry; foreign cleaner bottles from foreign commercial fishing boats or the merchant shipping industry; beer cans and bottles from recreational fishermen and beach users. Many items, however, could originate from any or all of these sources. Placing items into categories yields an overview of litter types and identifies industries or activities which may be the sources. The categories of litter and the items included in each are listed in table 3.



Figure 8. Plastics may take 400-500 years to decompose.

Table 3. Categories of litter and items included in each.

Beverage-Related

plastic soft drink bottles 6-pack holders straws polystyrene cups beer cans food/juice cans paper cups plastic cups one-gallon milk jugs glass soft drink bottles beer bottles wine cooler bottles bottle caps pull tabs

Fishing Gear

salt bags plastic gloves plastic baskets, crates light sticks crab traps nets buoys fishing line floats

Cargo Wastes

sheeting strapping bands pallets wooden crates polystyrene packing

Galley Wastes

plastic bags plastic caps and lids plastic food bottles vegetable sacks polystyrene food trays egg cartons food and juice cans glass food bottles

Operational Wastes

rope
buckets
filters
fluorescent lights
light bulbs
aerosol cans

large metal containers drums wire rope cleaner bottles

Oil and Gas Industry

hard hats pipe thread protectors drums write-protect rings

<u>Personal</u>

tobacco cans diapers lighters clothing newspaper toys




Figure 9. A. Categories of litter and their sizes, by number of items, statewide.

B. Composition of beverage-related litter, by number of items, statewide.

Statewide, beverage-related items were the most prevalent type of litter at 37%, followed by galley wastes (19%), operational wastes (11%), fishing gear (4%), personal (3%), and cargo wastes (2%) (figure 9). Oil and gas industry wastes were included in operational wastes (figure 10). Between 2% and 4% of all the litter collected could readily be assigned to the oil and gas category. Twenty-four percent could not be classified.

Beverage-related litter was broken down into separate categories. Thirty-five percent of the beverage-related wastes were cups, most of which were polystyrene. Soft drink containers made up 26%, beer containers 18%, and one-gallon milk jugs 11% of the beverage-related litter (see figure 9). About one-fourth of the beverage litter was cans; 18% was made up of bottles.

Estimates of the total amount of litter collected during the cleanup were made by extrapolating from the number of bags accounted for on the data sheets. The total number of items collected was estimated to be 800,173. Table 4 lists the estimates for each item. Almost 85,000 polystyrene cups; 41,000 plastic bags; 27,000 soft drink cans; 33,000 beer cans; and about 311,000 plastic objects were gathered during the cleanup.





Figure 10. Operational wastes.

Table 4. Statewide estimates of litter.


	TOTAL COUNTED	ESTIMATE FOR WHOLE STATE
FILLED BAGS	1,388	16,000
PLASTIC bags blue salt bags caps, lids 6-pack holders bottles	3,536 196 4,044 1,172	40,761 2,259 46,617 13,510
miscellaneous soft drink cleaners food rope cups, utensils	85 1,469 1,896 1,073 2,103 1,716 2,689	980 16,934 21,856 12,369 24,242 19,781 30,997
milk, water jugs large sheeting strapping bands vegetable sacks straws write-protection rings gloves toys	387 439 114 288 130 339 193	4,461 5,061 1,314 3,320 1,499 3,908 2,225
buckets diapers lighters hardhats tobacco "cans" pipe thread protectors baskets/crates	213 151 337 27 530 93 104	2,455 1,741 3,885 311 6,110 1,072 1,199
filters pieces other TOTAL PLASTIC	147 1,261 2,236 26,968	1,695 14,536 <u>25,775</u> 310,870
RUBBER tires other TOTAL RUBBER	109 510 619	1,256 5,879 7,135
GLASS bottles/jars miscellaneous soft drink beer wine cooler food light bulbs fluorescent tubes pieces other TOTAL GLASS	101 2,374 1,414 408 1,000 726 220 1,210 288 7,741	1,164 27,366 16,300 4,703 11,527 8,369 2,536 13,948 3,320 89,233
POLYSTYRENE cups food trays egg cartons packing pieces TOTAL POLYSTYRENE	7,359 2,338 887 655 5,876 17,115	84,830 26,951 10,225 7,550 <u>67,735</u> 197,291

	TOTAL COUNTED	ESTIMATE FOR WHOLE STATE
METAL		
cans Soft drink beer food/juice aerosol bottle caps pull tabs other cans large containers	2,341 2,891 476 832 611 279 431	26,986 33,326 5,487 9,591 7,043 3,216 4,968 1,268
drums rusty new wire pieces other TOTAL METAL	72 5 220 430 528 9,226	830 58 2,536 4,957 <u>6,086</u> 106,352
FISHING GEAR net fragments fishing line buoys net floats light sticks crab traps other TOTAL FISHING GEAR	267 507 154 227 327 24 320 1,826	3,078 5,844 1,775 2,617 3,769 277 <u>3,689</u> 21,049
PAPER bags cups cartons newspaper pieces other TOTAL PAPER	395 506 648 137 1,096 822 3,604	4,553 5,833 7,470 1,579 12,634 <u>9,476</u> 41,545
WOOD pallets crates pieces other TOTAL WOOD	42 52 1,396 <u>149</u> 1,639	484 599 16,092 <u>1,718</u> 18,893
CLOTHING shoes/sandals caps underwear shirts rags socks other TOTAL CLOTHING	254 11 10 12 147 21 —82 537	2,928 127 115 138 1,695 242 945 6,190
OTHER	140	1,614
TOTAL	69,415	800,173





BARRIER ISLANDS






Figure 11. Material composition of litter, by number of items, in each

Results by Area

The beaches in the cleanup can be meaningfully divided into four groups: the Cameron beaches in the southwestern part of the state; the barrier islands, which are inaccessible except by boat and therefore have few day users; the Grand Isle beach, which is an accessible barrier island; and the mainland Fourchon beach. Comparison of the amount of litter collected in these areas is difficult, but the material composition and categories are comparable.

Table 5 compares the items collected in each area. The Cameron beaches had the highest proportion of plastics (48%) and the barrier islands had the lowest (38%). Grand Isle had the most polystyrene (34%) and Cameron the least (16%). Cameron had the highest proportion of glass (15%) and Grand Isle the lowest (7%) (figure 11).

The proportion of beverage-related litter in each area ranged from 33% at Grand Isle to 40% along the barrier islands (see figure 12). The proportion of drinks may be lower at Grand Isle and Cameron because these beaches are cleaned regularly or because the recyclable aluminum is collected. Galley wastes were fairly stable among the areas, ranging from 18% to 20%, but operational wastes ranged from 7% on Grand Isle to twice that in Cameron (15%). This may be an indication that Grand Isle is regularly cleaned or that prevailing ocean currents move some of the material westward. The barrier islands also had a high proportion of operational wastes, indicating that the source of that category of litter is probably offshore. Most of the barrier islands are west of Fourchon and Grand Isle and may also be affected by the prevailing currents.

Fishing gear constituted from 3% to 6% of the litter collected. Cameron beaches had the highest proportion of fishing gear. About one-third of the fishing gear collected there was light sticks; over 2% of all the litter in this area was light sticks, compared to less than 1% of the litter in all the other areas (figure 13).





Figure 13. Wastes from commercial fishing.


Table 5. Comparison of litter in each area.

	CAMERON BEACHES	BARRIER ISLANDS	GRAND ISLE BEACHES	FOURCHON BEACH	STATE TOTAL
PLASTIC bags blue salt bags caps, lids 6-pack holders bottles	1,334 105 1,429 777	-544 56 1,358 207	521 49 1,286 248	2,209 102 970 493	4,608 312 5,043 1,725
miscellanous soft drink cleaners food rope cups, utensils milk, water jugs large sheeting strapping bands vegetable sacks	14 619 789 581 1,301 523 1,211 196 267 101	54 382 845 428 528 328 1,000 93 145	4 193 226 122 464 408 427 61 90 20	31 813 662 383 770 789 1,047 223 123 64	103 2,007 2,522 1,514 3,063 2,048 3,685 573 625 209
straws write-protection rings gloves toys buckets diapers lighters hardhats tobacco "cans"	195 86 441 130 165 72 202 39 241	38 33 64 45 76 14 114 9	80 28 50 37 36 25 89 4 84	130 33 129 59 75 110 94 6 164	180 684 271 352 221 499 58 684
pipe thread protector baskets/crates filters pieces other TOTAL PLASTIC	74 49 94 420 872 12,327	38 53 61 287 615 7,634	8 9 26 631 <u>345</u> 5,571	40 40 44 348 <u>842</u> 10,793	160 151 225 1,686 2,674 36,325
RUBBER tires other TOTAL RUBBER	66 151 217	11 	11 <u>79</u> 90	81 <u>267</u> 348	169 644 813
GLASS bottles/jars miscellaneous soft drink beer wine cooler food light bulbs fluorescent tubes pieces other TOTAL GLASS	28 1,013 553 265 582 547 229 689 100 4,006	74 822 211 134 470 346 69 219 117 2,462	1 286 268 44 71 120 24 148 51 1,013	29 1,091 838 133 253 140 36 659 81 3,260	132 3,212 1,870 576 1,376 1,153 358 1,715 349 10,741
POLYSTYRENE cups food trays egg cartons packing pieces TOTAL POLYSTYRENE	1,719 570 638 189 1,067 4,183	2,505 788 303 250 1,627 5,473	1,824 534 111 185 2,438 5,092	2,946 938 279 168 1,755 6,086	8,994 2,830 1,331 792 <u>6,887</u> 20,834

	CAMERON BEACHES	BARRIER ISLANDS	GRAND ISLE BEACHES	FOURCHON BEACH	STATE TOTAL
METAL cans soft drink beer food/juice aerosol bottle caps pull tabs other cans large containers drums	636 668 354 485 477 114 331	1,114 1,274 141 332 109 14 127 22	356 543 37 92 160 38 49	761 899 131 297 157 173 205	2,867 3,384 663 1,206 903 339 712 189
rusty new wire pieces other TOTAL METAL	44 1 132 143 <u>157</u> 3,645	22 4 17 143 <u>161</u> 3,480	11 29 30 104 1,457	38 1 156 255 246 3,376	115 7 334 571 <u>668</u> 11,958
FISHING GEAR net fragments fishing line buoys net floats light sticks crab traps other TOTAL FISHING GEAR	126 173 53 95 412 3 69	55 52 91 98 83 6 70 455	85 215 19 46 20 12 93	126 258 48 63 35 7 142 679	392 698 211 302 550 28 374 2,555
PAPER bags cups cartons newspaper pieces other TOTAL PAPER	269 219 213 28 222 	39 97 91 4 138 99 468	59 112 75 48 351 <u>437</u> 1,082	257 330 481 89 673 282 2,112	624 758 860 169 1,384 941 4,736
WOOD pallets crates pieces other TOTAL WOOD	33 25 597 <u>65</u> 720	21 22 337 39 419	4 8 323 <u>38</u> 373	13 14 540 <u>62</u> 629	71 69 1,797 204 2,141
CLOTHING shoes/sandals caps underwear shirts rags socks other TOTAL CLOTHING	103 5 5 3 72 2 47 237	72 1 6 4 20 6 — <u>11</u> 120	45 2 1 2 17 1 1 15 83	135 6 5 6 87 13 41 293	355 14 17 15 196 22 114 733
OTHER	51	32	23	57	163
TOTAL	27,391	20,701	15,274	27,633	90,999










Figure 12. Proportion of items in each category of litter, by area.

Personal items, such as diapers, clothing, and tobacco cans, constituted 2%-3% of all the litter in each area. This is probably a low estimate because such objects as shampoo, deodorant, and toothpaste containers were included in other categories, such as "plastic bottles." Cargo wastes also ranged from 2% to 3% of all the litter collected.

Figure 14 illustrates the proportion of different beverage containers to all the beverage-related litter. Cups ranged from 47% of all the beverage litter at Grand Isle to 26% at Cameron. Most of these cups are polystyrene, and probably came from offshore facilities. The barrier islands had the second-highest proportion of cups (35%), further implicating an offshore source. Soft drinks were the second-most-abundant beverage container except at Cameron, where they were first. The proportions ranged from 29% at the barrier islands to 17% at Grand Isle. Beer containers ranged from 16% to 19%, while milk jugs ranged from 8% to 12%.

Table 6 lists the ten most common items in each area. Polystyrene pieces and cups followed by plastic bags and caps and lids were the most abundant items. Cameron beaches had a higher proportion of plastic cleaner bottles and a lower proportion of beer cans than the other areas. The data from each beach can be found in Appendix D.

Table 6. Ten most common items found, by area.

	<u>Grand Isle</u>	<u>Fourchon</u>	Barrier Islands	Cameron
1)	Polystyrene pieces	Polystyrene cups	Polystyrene cups	Polystyrene cups
2)	Polystyrene cups	Plastic bags	Polystyrene pieces	Plastic caps and lids
3)	Plastic caps and lids	Polystyrene pieces	Plastic caps and lids	Plastic bags
4)	Plastic pieces	Glass soft drink bottles	Beer cans	Rope
5)	Beer cans	One-gallon milk jugs	Soft drink cans	One-gallon milk jugs
6)	Polystyrene food trays	Plastic caps and lids	One-gallon milk jugs	Polystyrene pieces
7)	Plastic bags	Polystyrene food trays	Plastic cleaner bottles	Glass soft drink bottles
8)	Rope	Beer cans	Glass soft drink bottles	Other plastic
9)	Paper	Other plastic	Polystyrene food trays	Plastic cleaner bottles
10)	One-gallon milk jugs	Beer bottles	Other plastic	Six-pack holders




Figure 14. Composition of beverage-related litter in each area.

BEER CONTAINERS 17%

MILK JUGS 13%

Extended Data Collection

Exceptionally complete information about beach litter is available for Fourchon Beach. This is because, due to the support of the Lafourche Parish Council, CMD, and the U.S. Minerals Management Service (New Orleans office), a tremendous number of well-informed volunteers participated in the September cleanup at Fourchon Beach. About 1012 bags were filled from six miles of beach and almost half of it was recorded on the data sheets. Second, MMS personnel were the first group to "adopt" a portion of a Louisiana beach for periodic cleanup. In each of their subsequent visits to Fourchon Beach during 1987 and 1988, they recorded all of the items collected along "their" beach.

The MMS personnel cleaned the beach in December 1987, April 1988, and July 1988. Table 7 summarizes the numbers of items collected during the year (a complete list of data is in Appendix E). The number of bags filled remained around 200 except in December, when only 120 bags were filled. However, during the course of the year the total number of items decreased to about one-half of the original collection. In September, MMS collected 10,128 items along their section of beach and in July 1988 they found only 4,379.

Table 7. Summary of litter collected at MMS adopted beach at Fourthon, 1987-1988.

Category of litter	September 1987	December 1987	April 1988	July 1988
PLASTIC	3,886	2,072	2,160	1,611
RUBBER	119	24	50	21
GLASS	1,104	473	951	858
POLYSTYRENE	1,966	815	709	653
METAL	1,487	516	1,036	426
FISHING GEAR	330	114	131	63
PAPER	894	489	398	660
WOOD	169	42	191	39
CLOTHING	139	59	66	46
OTHER	34	6	52	2
TOTAL	10,128	4,610	5,744	4,379

The composition of the litter fluctuated during the year, but the proportion of polystyrene items decreased overall from 20% to 15% and glass and paper increased (from 11% to 20%, and from 9% to 15%, respectively) (table 8).

The proportion of waste types fluctuated also (table 9). During the winter and spring the proportion of drink containers decreased by almost 10%. This may be because recreational users and/or offshore workers are consuming fewer beverages then. In addition, the beach itself is probably used less by recreational users such as campers and surf fishermen during that part of the year. This last possibility is feasible because the volume of glass is low in the winter and increases in the spring and summer. Galley wastes varied from a high of 25% in December to a low in July (18%). Operational wastes were highest in the spring (11%) and lowest in the summer (5%).

Table 10 breaks down beverage-related litter for the year at the MMS-adopted beach. The proportion of polystyrene cups decreased from 23% to 13% during the year while the proportions of beer bottles, glass soft drink bottles, and plastic soft drink bottles increased. A decrease in the number of polystyrene cups could be a result of decreased use of them on platforms during the summer, or it may be that companies are switching to paper. If the latter is the case, an increase in paper cups can be anticipated.

Table 8. Material composition of litter on MMS adopted beach at Fourchon, 1987-1988.

	September 1987	December 1987	April 1988	July 1988
Plastics	41%	47%	40%	38%
Polystyrene	20%	18%	13%	15%
Glass	11%	10%	17%	20%
Rubber	1%	1%	1%	<1%
Metal	15%	11%	18%	10%
Paper	9%	11%	7%	15%
Wood	2%	1%	3%	1%
Clothing	1%	1%	1%	1%
Other	<1%	<1%	1%	<1%

Table 9. Categories of litter and their relative sizes, by number of items, on MMS adopted beach at Fourchon 1987-1988.

	September 1987	December 1987	April 1988	July 1988
Beverage-related	40%	32%	34%	42%
Galley	20%	25%	19%	18%
Operational	7%	7%	11%	5%
Cargo	1%	2%	1%	1%
Personal	3%	4%	2%	3%
Fishing Gear	4%	4%	4%	3%
Unidentified	25%	26%	29%	28%

Table 10. Composition of beverage-related litter, by number of items, on MMS adopted beach at Fourchon, 1987-1988.

	September 1988	December 1987	April 1988	July 1988
Polystyrene cups	23%	21%	23%	13%
Beer cans	11%	12%	14%	9%
Glass soft drink bottles	9%	11%	10%	13%
Beer bottles	9%	9%	13%	18%
Plastic soft drink bottles	9%	7%	6%	12%
Six-pack rings	6%	6%	3%	6%
Plastic cups	9%	6%	6%	9%
One-gallon milk jug	s 7%	7%	8%	4%
Soft drink cans	6%	6%	6%	4%
Juice cans	1%	3%	2%	1%
Metal bottle tops	2%	2%	3%	2%
Pull tabs	3%	1%	1%	2%
Paper cups	3%	6%	3%	4%
Straws	1%	1%	1%	1%
Wine cooler bottles	1%	2%	1%	3%

Litter Laws

Although litter along Louisiana's coast is extremely prevalent, international agreements, federal laws and regulations, and state and parish laws do exist to control this type of pollution and to promote proper disposal of trash and debris in and around marine activities.

Federal dumping laws were first established in the late 1890s to prevent obstruction of navigation channels, not necessarily to prevent deleterious effects on the environment. It was common practice and, in fact, legal for ocean-going vessels to dispose of trash at sea until 1972 when the Ocean Dumping Act was adopted by Congress. However, this legislation was aimed at purposeful transportation of wastes for disposal at sea. Normal ship-generated wastes were not affected.

Disposal of trash in the ocean is a common practice worldwide. In 1975 the Center for Environmental Education estimated that 14 billion pounds of trash are disposed of at sea each year. The current practice of at-sea disposal will soon be prohibited worldwide. In November 1987, the United States ratified Annex V of the International Convention for the Prevention of Pollution from Ships Treaty. Commonly called MARPOL (for "marine pollution"), Annex V prohibits the disposal of plastics at sea, including wastes from ships and oil and gas platforms. It prohibits the disposal of certain types of floating garbage within 25 miles of the nearest coastline and food wastes, paper, glass, and metal refuse within 12 miles unless ground up, and then within 3 miles of shore. The treaty also provides for the establishment of special areas where no trash dumping will be allowed. The treaty will go into effect in late 1988.

In U.S. waters the oil and gas industry is regulated by OCS orders (issued by MMS) which prohibit the deliberate dumping of solid wastes into the marine environment (OCS Order No. 7). Another OCS Order (No. 1) requires identification numbers on materials weighing more than 40 pounds. In addition, oil companies have trained their personnel in the proper control and disposal of wastes.

While Louisiana law prohibits littering, the problem still remains. Louisiana has one of the strongest anti-litter laws in the country. Penalties can include fines up to \$3000, one-year suspension of driver's license, six months in prison, or a combination of these. Offenders may also be required to clean up sections of highways and streets as part of their penalties. State law also mandates the placement of litter receptacles at public places such as fast food restaurants, parking lots, shopping centers, beaches, service stations and numerous other locations. This law also makes it the responsibility of the owners of such public places to provide and maintain the receptacles.

Although the laws do exist, they are difficult to enforce. Periodic cleanups can only temporarily improve a locale. Awareness and changes in individual attitudes and behavior about litter are more permanent solutions. The Louisiana Litter Control and Recycling Commission has developed an Adopt A Road program and an Adopt A Beach program and has provided public information about litter and recycling. The CMD has been focusing on litter problems in the coastal zone, and developing a public campaign and information base to help curb litter along beaches, bayous, swamps, and marshes.

Adopt A Beach Program

Louisiana's Adopt A Beach Program's goal is "to rid Louisiana beaches and barrier islands of debris and litter." The program invites corporations, civic organizations, local government agencies, and individuals to adopt a minimum of one mile of beach for regular litter patrols at least three times annually.

The employees of the New Orleans-based Gulf of Mexico Office of the Minerals Management Service, U.S. Department of the Interior, along with their families, adopted 2 miles of Fourchon Beach in Lafourche Parish--the first adoption of a Louisiana beach. They have conducted quarterly cleanups and recorded the type and amounts of litter gathered during 1987-1988 beginning with the September Sweep statewide cleanup. The information collected by the MMS provided a unique opportunity to monitor rates of litter accumulation and seasonal variations of types and amounts of beach litter.

To date, nine areas have been adopted, accounting for 16 miles of beach. The beaches and the adopting organizations and individuals are listed below.

Center for Wetland Resources, Louisiana State University, Baton Rouge; 1 mile of Rutherford Beach

Chevron USA employees, Lafayette; 1 mile of Fourchon Beach

Harry and Nadine Lancon, Sulphur; 1 mile of Chaisson Beach

Louisiana Land and Exploration Co., New Orleans; 3 miles on Timbalier Island

Louisiana Office of State Parks, Baton Rouge; 1 mile at Cypremort Point Beach and 1 mile on Grand Isle

Mobile Oil, Lake Charles; 1 mile at Martin Beach

Southeast Louisiana Girl Scout Council, New Orleans; 1 mile at Fourchon Beach

Texaco, New Orleans; 4 miles on Timbalier Island

U.S. Department of the Interior, Minerals Management Service, New Orleans; 2 miles at Fourchon Beach

Sea Turtles

Another benefit of the 1987 beach cleanup was the unique opportunity it provided to have every stretch of Louisiana beach searched at the same time for stranded sea turtles. There has been an ongoing cooperative effort in Louisiana to determine the extent and density of several species of these endangered animals but, because they are rare, information about them is limited and it is difficult to survey the entire coast regularly.

The cleanup provided data about five stranded sea turtles: one unidentified turtle found in the Chandeleur zone; two Kemp's ridleys found on Grand Isle; one

hawksbill from Fourchon; and one loggerhead in the Cameron zone. Information researchers obtain from examining them will help in formulating federal and state policies for their continued protection. The cleanup also reminded many people of the rare and endangered animals that can be found in Louisiana.

Conclusion

A cleaner beach is only the temporary result of beach cleanups; their real value lies in the public awareness they foster. Cleanups are a unique educational opportunity for both children and adults. For those who participated in the 1987 cleanup, seeing the quantity of litter collected was a staggering experience. Many said they had not realized how much litter accumulated along the beaches. Some questioned why "somebody doesn't **DO** something." And some found that they could do something by becoming more aware of the problems of solid waste disposal and learning about recycling.

The disposal of the beach litter collected during the cleanup only transferred the problem elsewhere, as some volunteers observed (figure 15). The routine disposal of solid wastes is not only a serious statewide concern but is a tremendous national problem as well. Increasing volumes of solid waste and decreasing sanitary landfill facilities have placed financial burdens on local governments. The problem is acute in coastal Louisiana where geological and hydrological conditions preclude most sanitary landfills. Many coastal parishes must transport solid wastes to inland parish landfills, and those landfills are filling up. Since 1979, 3,500 landfills have been closed nationwide. Of the 16,000 remaining, one-third will be filled in a few years. Alternative solid waste disposal measures must be addressed now.



Figure 15. Once collected, beach litter must be transported for disposal.

Solutions to the problem of increasing volumes of garbage and decreasing disposal space must involve everyone. Recycling usable cans, glass, paper, and plastics and using biodegradable packaging will reduce the volumes of trash which must be disposed of and also conserve energy and natural resources. Incinerating trash at high temperatures and using this energy to generate electricity may be another way to use trash and garbage and conserve valuable landfill space. To reduce waste, some towns and counties in other states have banned the use of plastic grocery bags, while others have banned many plastic containers or require such containers to be biodegradable. Many states have passed "bottle bills" resurrecting the returnable bottle, thus reducing packaging, encouraging recycling, decreasing local litter, and decreasing solid waste.

While some of these solutions are up to local, state, and federal officials, individuals can take action to reduce the amount of trash they generate and thereby reduce litter in the local area. Some ideas include:

Use litter receptacles at public and private facilities. When there is none, carry your trash until you can properly dispose of it.

Form a group and adopt a beach; help with statewide and local cleanups.

Make the most of reusable containers; recycle when possible.

Reduce the amount of packaging you use.

Never throw anything from your car or boat onto the road or into the water.

When picnicking, camping, sunbathing, or fishing, leave the public area you have used cleaner than you found it.

Cast your line and not your litter.

Help make Louisiana a cleaner state.

Many of these suggestions may be followed with a little effort that soon becomes habit. If everyone learns to respect our natural areas, they will be clean and safe for everyone to enjoy.

Selected Reading on Marine Litter, Solid Waste Disposal, and Recycling

Adler, J. 1987. Our befouled beaches. Newsweek 110:50-1.

Anonymous 1970. An end to plastic pollution? Marine Pollution Bulletin 1(9):130.

Anonymous 1983. Jellyfish look-alikes kill turtles. Science Digest 91:23.

Anonymous 1983. Ocean litter comes to life. Newsweek 101:72.

Anonymous 1983. Ocean watch. UNESCO Courier 36:43-4.

Anonymous 1983. Worlds oceans getting cleaner. Futurist 17:59.

Anonymous 1985. Round table on land-based marine pollution. Oceans 18:70.

Anonymous 1986. Plastic debris problem growing. Oceans 19:66-7.

Aquanotes 1987. Marine Litter: more than an eyesore. Aquanotes, Louisiana State University 16(2):1-6.

Anonymous 1988. It's everybody's duty to deal with trash. USA Today (July 11):8A.

Bourne, W. R. P. 1976. Seabirds and pollution. Pp. 403-502 in R. Johnston, ed., Marine Pollution. London: Academic Press.

Bowker, M. 1986. Caught in a plastic trap. International Wildlife 16:22-3.

Carr, A. 1986. Rips, FADS, and little loggerheads. BioScience 36(2):92-100.

Center for Environmental Education 1987. Plastics in the Ocean: More Than a Litter Problem. Washington, D.C.: Center for Environmental Education.

The Cousteau Society 1981. The Cousteau Almanac. Garden City, N.J.: Doubleday and Co.

Day, H. R., D. H. S.. Wehle, and F. C. Coleman 1985. Ingestion of plastic pollutants by marine birds. Pp. 334-86 in R.S. Shomura and H.O. Yoshida, eds., Proceedings of the Workshop on the Fate and Impact of Marine Debris, NOAA-TM-NMFS-SWFC-54. Honolulu, Hawaii: U.S. Department of Commerce, National Marine Fisheries Service, Southwest Fisheries Center. 580 pp.

Diegmueller, K. 1986. Buried in garbage. Insight (January):6-14.

Duerr, C. 1980. Plastic is forever. Oceans 13:59-60.

Hall, H. 1986. Caught in a deadly web. National Wildlife 24:42-45.

Horsman, P. U. 1985. Garbage kills. BBC Wildlife (August):391-392.

Knapp, D.F. 1974. Plastic particles in surface waters of the northwestern Atlantic. Science 185(4150):491-97.

Laist, W.D. 1987. Overview of the biological effects of lost and discarded plastic debris in the marine environment. Pp. 319-26 in D.A. Wolfe, ed., Plastics in the Sea. Selected Papers from the Sixth National Ocean Disposal Symposium. Marine Pollution Bulletin 18:6B.

Louisiana Wetland Protection Panel 1987. Saving Louisiana's Coastal Wetlands: The Need for a Long-Term Plan of Action. Washington, D.C.: U.S. Environmental Protection Agency.

Morganthau, T., M. Hager, L. Brown, T. Kenney, and L. Drew 1988. Don't go near the water. Newsweek (Aug. 1):42-47.

Murphy, J. 1986. The perils of plastic pollution. Time 127:70.

Neilson, J., and L. Shuee 1985. Get the drift and bag it: a nuts and bolts guide to organizing a beach cleanup campaign the easy way. Portland, Ore.: Oregon Department of Fish and Wildlife. 12 pp. and app.

Norres, R. 1986. A tide of plastic. Audubon 88:185.

Pollock, Cynthia 1987. Realizing recycling's potential. Pp. 101-21 in L. Starke, ed., State of the World 1987: A Worldwatch Institute Report on Progress Toward a Sustainable Society. New York: W.W. Norton and Co.

Poole, R. 1986. No net gain for ocean life. Sierra 71:14.

Pruter, A.T. 1987. Plastics in the marine environment. Fisheries 12(1):16-17.

Richardson, E.L. 1980. Prevention of vessel-source pollution. Oceans 13:2-5.

Scott, S. 1987. The plastic threat to marine life. Sea Frontier 33:464-6.

Seymour, J. and H. Girardet 1987. Blueprint for a Green Planet. New York: Prentice-Hall.

Shomura, R.S., and H.O. Yoshida, eds. 1985. Proceedings of the Workshop on the Fate and Impact of Marine Debris, 27-29 November 1984, Honolulu, Hawaii. NOAA-TM-NMFS-SWFC-54. Honolulu, Hawaii: U.S. Department of Commerce, National Marine Fisheries Service, Southwest Fisheries Center. 580 pp.

Texas Beach Bulletin 1987. Articles on marine debris, MARPOL, and Adopt-a-Beach, Texas General Land Office, Austin, Vol. 1, No. 1.

Texas Beach Bulletin July-August 1987. Articles on Beach Cleanup, Adopt-a-Beach, Marine Debris Regulation, and Annex 5. Vol. 1, No. 2. Texas General Land Office, Austin, TX.

Toufexis, A. 1988. The Dirty Seas. Time 132(5):44-50.

U.S. Environmental Protection Agency 1987. Saving Louisiana's Coastal Wetlands. EEPA-230-02-87-026. Washington, D.C.: EPA.

Wehle, D.H.S., and F.C. Coleman 1983. Plastics at sea. Natural History 92(2):20-6.

Weisskopf, M. 1988. Plastic reaps a grim harvest in the oceans of the world. Smithsonian 18(12):58-67.

Widman, J. 1985. Open season on the ocean. Oceans 18:2.

Winston, J.E. 1983. Garbage crosses Caribbean. Science Digest 91:23.

Wolfe, D.A. 1987. Persistent plastics and debris in the ocean: an international problem of ocean disposal. Pp. 303-5 in D.A. Wolfe, ed., Plastics in the Sea. Selected papers from the Sixth International Ocean Disposal Symposium. Marine Pollution Bulletin 18:6B.

Wolfe, D.A., ed. 1987. Plastics in the Sea. Selected papers from the Sixth International Ocean Disposal Symposium. Marine Pollution Bulletin 18:6B.

Worldwatch Institute 1987. State of the World--1987. Washington, D.C.: Worldwatch Institute.

Yates, R.E. 1973. Man-made objects on the surface of the central north Pacific Ocean. Nature 241(5387):271.

APPENDIX A

CONTRIBUTORS OF MAJOR SERVICES, FOOD, DRINKS, EQUIPMENT, and CASH FOR THE 1987 LOUISIANA COASTAL CLEANUP

STATEWIDE CONTRIBUTORS FOR THE 1987 LOUISIANA COASTAL CLEANUP

Amoco Production Company Bobby Charles Guidry (theme song) Cities Service Oil and Gas Corp. Conoco, Inc. Dixie Printing and Supply Company Louisiana Department of Natural Resources/Coastal Management Division Louisiana Sea Grant College Program Louisiana State University Marathon Oil Maxus Energy Corp. Mobil Oil Exploration and Producing SE, Inc. Dr. Judith Patrick Rollins Environmental Services Shell Offshore, Inc. Sonat Exploration Tenneco US T-Shirts

ZONE CONTRIBUTORS FOR THE 1987 LOUISIANA COASTAL CLEANUP

Cameron Zone Cleanup

Alphagraphics American Red Cross Audubon Society, Baton Rouge BFI Waste Systems Billy Navarre Chevrolet Bolo Ice Company Boy Scouts of America Brown's Food Center Cameron 4-H Clubs Cameron Parish Assessor's Office Cameron Parish Police Jury Cameron Parish Recreation District #6 Cameron Parish Registrar of Voters Office Cameron Parish Sheriff's Department Orrie Canik Coastal Concern Association Creole K.C. Council Don's Auto Service Gulf Coast Conservation Association Holston's Ambulance Imperial Calcasieu Planning and Development District Johnson Bayou Volunteer Fire Department Jones, Jones and Alexander Kajon

Knights of Columbus Council 8323 Lagniappe Lake Charles Hi-Noon Lions Club Louisiana Cooperative Extension Service Louisiana Department of Environmental Quality Louisiana Sea Grant College Program Marathon Oil McDaniels Welding Service Mobil Oil Company Phillips Petroleum Pine Shadows Golf Course Southwest Daily News South Cameron Memorial Hospital Tidex Inc. Transco Exploration Company Waste Management West Cal-Cam Hospital

Acadiana Zone

Acadiana Bottling Company, Inc.
Acadiana Sierra Club
Boy Scouts of America
Girl Scouts of America
Paul Hardy
Keep America Beautiful Systems
Louisiana Department of Culture, Recreation and Tourism
Louisiana Department of Environmental Quality
Louisiana Department of Natural Resources
Louisiana Fishermen for Fair Laws
Louisiana Litter Control and Recycling Commission
Office of State Parks

Timbalier Zone

Acadian Ambulance Service Black Guidry and The Emotionals Buquet Distributing Company Cenec Iswing Company Chevron USA Coca Cola Bottling Company Teddy Duhe Elwin Duplantis Luke Grezaffi Gulf Coast Construction Association Dr. Tommy Haydel Louisiana Department of Wildlife and Fisheries Louisiana Land and Exploration Company Louisiana Universities Marine Consortium (LUMCON) Mid-Continent Oil and Gas Association Pumpkin Air Dr. Frederick Rau Renco Senator Leonard Chabert

Sun Oil Company Tenneco Inc. Tenneco La Terre Tenneco Oil Company Texaco Two-R Drilling Company

Fourchon Beach Zone

American Legion Auxiliary American Waste/Port-O-Let Caillouet Land Corporation Chevron Chick's Bait Shop Cub Scouts of America Delgrandile Insurance Agency Delta Distributing Company Dow Chemical Edward Wisner Donation Advisory Committee Fourthon International Shipping Terminal, Inc. Frank's Supermarket Freeport McMoran Fry Diner and Bar G and P Service Station Galliano IGA Supermarket Gee Gee's Gulfside Restaurant Golden Meadow Rotary Club Greater Lafourche Port Commission Griffin Marina J. Wayne Plaisance, Inc. John Adam Supermarket Kentwood Water Lafourche Ambulance District #1 Lafourche Parish Council Lafourche Parish School Board Lafourche Parish Recreation District Lafourche Parish Sheriff's Office Ledet Supermarket Leonard Miller Allstate Insurance Little Eagle Loop, Inc. Louisiana Coca Cola Bottling Co., Ltd. Louisiana Department of Environmental Quality Louisiana Department of Natural Resources/Coastal Management Division Louisiana Geological Survey/Louisiana State University Martin Texaco Music Factory National Guard Nolty J. Theriot, Inc. Robie's Sporting Goods Shell Offshore, Inc. Solid Waste Disposal, Inc. Steve Shook Gulf Coast Fishing Charter Stone Motors Stuff Food Store

Superior Shipyard Thoma-Sea Ice and Fuel Valentine Paper Company

Grand Isle Zone

Archbishop Blenk High School Joseph Arnona/Gulfstream Apartments BFI Waste Systems Boy Scouts of America Charles Chips Chevron USA Clean City Committee of New Orleans Conoco, Inc. Delta Transit Company Delta Distributing Company Duke and BB/WWOZ Radio Exxon Girl Scouts of America Hazleton Company Jefferson Parish Council Jefferson Parish Dept. of Public Works/Mr. Lavelle's office Jefferson Parish President Willie Hof Jefferson Parish School Board Jefferson Parish Sheriff's Office John Curtis Christian School Kaiser Chemicals Key Clubs of the Greater New Orleans Area Louisiana Coca Cola Bottling Company Louisiana Department of Environmental Quality Louisiana Department of Wildlife and Fisheries Louisiana Geological Survey/Louisiana State University Office of State Parks Orleans Audubon Society Orleans Parish School Board Parkview Baptist Church Red Cross of Louisiana Reynold's Aluminum Recycling Shell Offshore, Inc. Tenneco Oil Co. Town of Grand Isle and Mayor Tommy Marullo U.S. Senator J. Bennett Johnston U.S. Senator John Breaux Women for a Better Louisiana Zapp's Potato Chips

Chandeleur Zone

Boy Scouts of America
Kerr McGee Oil and Gas
Louisiana Department of Wildlife and Fisheries
Louisiana Geological Survey/Louisiana State University
Minerals Management Service/U.S. Department of the Interior
Shell Offshore, Inc.
U.S. Fish and Wildlife Service

APPENDIX B

ORGANIZERS AND COORDINATORS OF 1987 LOUISIANA COASTAL CLEANUP

STATE COORDINATORS FOR THE 1987 LOUISIANA COASTAL CLEANUP

Margie Vicknair Schoenfeld

Coordinator

Louisiana Nature and Science Center's "Recycle New Orleans" project

New Orleans, LA

Calvin Fair

Executive Director Louisiana Clean Team

Baton Rouge, LA

ORGANIZERS FOR THE 1987 LOUISIANA COASTAL CLEANUP

LSU Center for Wetland Resources/Office of Sea Grant Development Louisiana Clean Team Louisiana Nature and Science Center Minerals Management Service, U.S. Department of the Interior Sierra Club-Delta Chapter Louisiana Geological Survey/Louisiana State University Coastal Management Division/Louisiana Department of Natural Resources

ZONE COORDINATORS AND BEACH CAPTAINS

Cameron Zone

Coordinator: Ed Kelly

Chairman, Cameron Parish Tourist Sub-Committee

Beach Captains:

Daniel Billiot

Scott Henry

Rodney Guilbeaux, Jr. Dean Roome

Paul Hannen

Harry Lancon

Gerald Touchet Clifton Cabell

Baton Rouge Audubon Society Hollyman Sanctuary Beach

Martin Beach

Long Beach Constance Beach

Rutherford Beach

Little Florida/Oceanview Beach

Chaisson Beach Holly Beach

Holly Beach

Acadiana Zone

Coordinator:

Barbara Coltharp

Louisiana Litter and Recycling Commission

Beach Captains:

Randy Trahan

Cypremort Point Beach

Timbalier Zone

Coordinator: Steve Rabalais

LUMCON

Beach Captain:

Mark Hilzim

Isles Dernieres/Timbalier Islands

Fourchon Zone

Coordinator and Beach Captain: Ed Fike

Fourchon Beach

Lafourche Parish Council

Grand Isle Zone

Coordinator: Lydia Guillot

Delta Chapter Sierra Club

Beach Captains:

John Johnston III

Elmer's Island Grand Isle

Martha Brown Mark Chatry

Grand Terre

Chandeleur Zone

Coordinator and Beach Captain: Villere Reggio

North Breton Island

Minerals Management Service U.S. Department of the Interior

OTHER CONTRIBUTORS:

Mike Liffmann/Elizabeth Coleman/Sandy Lewis-Ruckstuhl: Louisiana Sea Grant and Louisiana State University Center for Wetland Resources

C.C. Lockwood/T.H. Casanova: Louisiana Clean Team

Wayne Kewley: Conoco, Inc. James H. "Bo" Blackmon/Peggy E. Rooney: Coastal Management Division/Department of Natural Resources

Dianne Lindstedt/Joe Holmes: Louisiana Geological Survey/Louisiana State

University

Bob Hanna/Dugan Sabin: Department of Environmental Quality Geography Anthropology Society: Department of Geography and Anthropology/

Louisiana State University

APPENDIX C

MISCELLANEOUS ITEMS COLLECTED STATEWIDE

Stir stick Stopper cap Strap Strap Strap String/twine String/twine String/twine String/twine String/twine Surgical mask Ianpon applicator Ianpon Incheros jug Iinch stake Incheros jug Iinch stake Incheros jug Iinch stake Incheros jug Iinch stake Incheros jug Iincheros jug Iinch ant top Iinch paper Iollet tank Iool box Ioothbrush Ioothbrush Ioothbrush Ioothbrush Ioothbrush Iowel Irash can Irash can Irash can Irash can Irash can Irash can Irash loothbrush Irash loothbrush Irash loothbrush Irash loothbrush Irash loothbrush Iube pieces IV	יי טמר א מר א
Rod holder Rollers Roofing Stingle Rubber band Ruber band Ruber band Ruber stamp Sacks Sail barrel paddle Sanl barrel paddle Sanntary napkins Scientific sample bottle Scissors Scoop Scotch bottle Scoop Scotch tape Scotch tape Scotch tape Scotch tape Scotch tape Scotch bottle Scoop Scotch bottle Screwdriver Span paper Short in the cover Span paper Span	שרורעבו משרע וווא
Old Spice Packing material Paint buttle Paint buttle Paint buttle Paint can Paint aask Paint noller Peneril Peneril Peneril Personal supplies Ping pong ball Ping pong paic Polyurethane Polyureth	אטע וומוועות
Cigarette lighter Cigarette pack Clay pot Clay pot Cleaning mask Clothes pin Coaxial antenna Coat Coat hangers Coins Cologne bottle Compound Computer recl Computer recl Computer recl Conforming oil bottles Cork rings Cor	
Buoy Buttles (F) Bottle cap (F) Bottle cap (F) Bow holder Bowl Bows Brochure Broom handle Brushes Bubble level Bullet cover Building felt Bullet days Butter dish Cable spool Cars (F) Candy wrappers Carbur seat Car seat Car seat Car seat Carburetor filter holder Chain Chair arm Chair ar	
Afer-shore filter Afer-shae lotion (F) Affer-shae lotion (F) Affer-shae lotion (F) Air mattress Aluminum furniture frame Aluminum tape Bricks Broom Andle Aluminum tape Aluminum tape Broom Broom Bullet cover Antenna wire Antifreeze bottle Bullet Bullet Bullet Bullet Bullet Austrant Aluminum tape Bullet Bullet Bullet Bullet Bullet Austrant Antifreeze Bullet Bullet Bullet Bullet Bullet Austrant Bullet Austrant Bullet Austrant Bullet Bullet Bullet Austrant Bullet Austrant Bullet Bullet Bullet Bullet Bullet Candle Bulter Candle Bulter Candle Bulter Candle Bay doll arm Car seat Barrette Bulter Cartos (F) Cartos (F) Bulter Cartos (F) Cartos (F) Bulter Cartos	

Electrical cord	Grease tube	Lipstick	TV dinner tray
Empty shell boxes	Grill (plastic)	Liquor bottle	TV tube
Engine part	Hair brush	Lotion bottle	Wister seals
Eyedrop boltie Foodlass frame	Half net Hair caray can	Lug wrench	(plastic)
Eve wash station	Hammer Hammer	Lure bags	Vaccine vial
Eyeball (plastic)	Hammer handle	Lure holder	Vial
Facial cleaner (F)	Hand lotion bottle (F)	Lure wrapper	Vinyl
Fan	Handle	Lure/tack	Volley Dall
ran Dett Fiberaless sack	Hard nat Iner Hatch cover	Magazine Magic marker	Wasner/Oryer Watch hox
Film	Headlamn	Magnetic tabe	Water filter
Filter gasket	Hemp rope	Magnetic top	Wax
Filters (F)	Honey jar	Makeup bottles	Webbing
Fingernail polish	Hook	Makeup brush	
Fire extinguisher	Hook retriever	Maps	Wine coolers (F)
Fireworks	Hose (rubber)	Mascara	Wipers
Fishing equipment bag	Hubcap	Mask	Wire
Fishing gear		Masking tape	Wire Orusn
Fishing line	Ice chest	Mat	Wood capte
Fishing pole	ice chest parts	Matches	Mooden 919
	Ice cream bowl	Mattress Matinal seina	Woodell Diochs
riag sticks	Ice cube tray	Medical Vials	Wranning naper
Flashight Flashight	Ink cartridge Incocticido con	Medicine Dottle	Yara
riode (seyrolodii) Floor finish	Insection cans	Milk crate	Zatarain's bottle
Fluorescent light	Insulation	Milk crace	Zepy hottle water top
Floor chart non	Insulff Container	Milk mater ind (F)	10-dallon cover
Flower (plastic)	To had	Millinore filter	5-gallon bucket
Flower pot	Jars	٤.	5-qallon can
Foam	Spil	Mineral Oil (F)	5-gallon tops
Foam mattress			6-pack holders (F)
Food jars (plastic & glass) (Mon	-
Food trays		Mop handle	
Food wrap	_	Mud flaps	
Food/juice (F)	_	Muffler	
Formica piece	Knife	Mustard container	
Freon can	Label	Nails	
Fruit drink	Ladder	Navigation sign	
Fruit juice bottle	Linoleum	Necklace	
runnel Cashago can	Large boat lamps	Need es Not floot(5)	
barbaye call	Large Motor		
Gas can cover	Lawn chart hams	Nove cuard	
Gas cv) inder	Lead weight	Nose sprav	
Gasket	Leather	Nut and bolt	
Gasoline jug	Lei (plastic)	Nylon pieces	
Glass (F)	Life jacket	0-ring	
Glasses	Life ring (styrofoam)	Odoreater	
Glove	Light		
Glue bottle (plastic)	Light container		
Goggles Golf + ee	Light floatation	Oil cans	
corr cee	Light ctick		
Grease casing	Liner Liner		
1			

APPENDIX D LITTER COLLECTED AT EACH BEACH

Broussard	613 49 363 337	4 1 4 1 4 2 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8	27 27 54	212 212 72 263 273 273 92 78 78	570 195 183 29 29 29 1,218
Rutherford Beach	300 22 346 157	4 Keer 127 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	51 53	11 199 98 98 78 60 60 49 123 700	372 102 124 56 202 856
Holly Beach	108 7 70 51	0 65 65 65 65 65 65 65 65 65 65 75 75 75 75 75 75 75 75 75 75 75 75 75	2 7	0 86 105 18 36 41 43 43 53	139 43 92 12 38 324
Martin	O m N		0 8/6	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	31 8 8 6 6
Oceanview	23 0 32		0 6 6	113 123 124 1254 1254	38 13 22 22 16 16
Unidentified (Johnson)	23 17 18	044441050000000000000000000000000000000	9009	0 2 4 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5	38 16 25 5 7
Unidentified (Constance/ Oceanview)	60 12 155 23	2	17	1 32 33 33 34 44 14 12 18 35?	156 61 61 77 253 538
Constance	119 15 278 115	o556664878787878780050504774	12 20 32	66 66 66 56 56 59 20 34 522	150 80 86 56 34 286 606
ed Chaisson	87 0 165 52	22688888888888888888888888888888888888	13	7 103 31 48 103 50 20 20 76	225 52 89 89 19 394
Unidentified (Barrier Island)	9 1 6	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	٩==	0188817481	41 10 6 50 119
lsles Dernieres	134 22 281 41	2.2.2.2.2.2.2.2.2.2.2.2.2.2.2.2.2.2.2.	42	25 251 84 84 175 175 83 24 49 49	$\begin{array}{c} 575 \\ 175 \\ 77 \\ 15 \\ 1\underline{97} \\ 1.0\underline{29} \end{array}$
Timbalier Island	208 11 725 116		79	245 245 58 58 136 150 26 128 31	1,447 428 155 180 1,025 3,235
North Breton Island	137 12 80 24	29 67 67 68 81 89 89 80 10 10 10 10 10 10 10 10 10 10 10 10 10	100	25 163 163 104 104 184 184 184 478	234 65 18 27 27 155 596
Grand Terre	56 10 220 20	7 4 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8	0 5 5	3 146 31 8 8 8 22 22 22 3 18 18	234 65 18 22 155 494
Grand Isle	521 49 1,286 248	4 6 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8	111 79	286 268 44 71 71 72 120 24 148 148 1,013	1,824 534 111 185 2,438 5,092
fourchon	2,209 102 970 493	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	81 267 348	29 1,091 838 133 253 253 265 659 36 659 37 659	2,946 938 279 168 1,755 6,086
	PLASTIC Bacs Blue sait bags Caps, lids Caps, holders	nnical laneus nnical laneus footagers footagers footagers Cuss, utensils Milk, water jugs Large sheeting Large sheeting Strapping bands Vegetable sacks Toper Discrete Filters Filters Other TOMAL PLASTIC	RUBBER Tires Other TOTAL RUBBER	GLASS Bottles/jars Bottles/jars astellaneous Soft drink Deer Ninc color food Light bulbs Fluorescent tubes Other 101AL GLASS	POLYSTYRENE CUPS FOOD trays FOG cartons Pecting Pieces TOTAL POLISTYRENE

302 241 125 187 61 61 7	17 0 34 27 27 1,228	50 19 15 38 38 81 81 22 22	101 56 81 4 30 56 778	6 3 91 31 131	51 5 66 0 158	9,238
82 138 44 66 66 81 18 74	6 17 17 30 68 68 655	22 71 7 7 22 22 58 58 58 19	77 74 58 11 61 365	15 2 146 181	58	5,716
46 146 146 133 34 133 133 133 133	2 0 10 15 15 280	64048~46	40 32 32 53 53 191	6 4 4 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5	&	2,182
m ~ 0 m 0 0 ~ -	0000	0 % % 0 0 0 0 4	2	0000	0000000	131
24 3 3 3 4 4 5 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	9 3 1 0 0	000000000000000000000000000000000000000	5 1 0 0 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	0 0 0 0	00000000	595
2000,000	3 0 0 8 4	1600000			2000000	502
57 34 20 60 60 23 7 7 4	22 22 22 7	15 2 0 0 43 43 43 43 43 43 43 43 43 43 43 43 43	18 19 24 3 44	6 11 53 17	21 0 0 0 0 0 1 22	2,534
53 4 4 2 3 3 2 3 5 5 5 1 1 5	5 33 39 20 20 527	32 37 15 15 16 85 85 200	9 13 72 16 16	83 4 99	12 2 0 0 0 0 1 1 1 18	3,627
52 112 103 103 84 128 40 40	6 24 7 7 2 5 5 7 2 5 5 7 2 5 5 7 2 5 5 7 2 5 5 7 2 5 5 7 2 5 5 7 2 5 5 7 2 5 5 7 2 5	5 10 138 138 0 0 171	0 . 6 0 0 - 1	0 172 175	0000000	1 2,882
22 8 8 8 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9	100	10002	. 85 E. O. E. O. E. S. E	0040	20 22 14 721	552
430 529 46 117 18 5 5	7 3 1 14 14 1,261	7 119 119 25 7 7 4 4 4	15 16 18 32 18 90	6 3 162 178	11 0 4 0 1 81	5,347
299 338 338 56 117 717 8	10 0 15 98 98 1,166	37 17 50 42 42 69 69 1	20 62 7 8 8 8 4 4 4 5 8 23 1	12 16 130 180	40 0 1 1 1 1 1 1 4 1 4 7	9,973
143 182 19 54 64 7	2 2 8 8 9 17 451	9 1 4 1 1 9 4 4	3 3 3 3 3	2 2 2 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7	001001	2,551
219 216 17 31 16 1	2 0 0 8 8 8 5 5	4 0 4 E 9 0 J 8	0 8 15 1 32 17	39	7 0 0 0 0 1 6	2,278
356 543 37 92 160 38 49 7	11 12 29 30 30 104 1,457	215 215 19 10 20 20 20 40	59 1112 75 48 351 437 1,082	8 323 38 373	45 2 2 1 2 2 1 7 1 1 1 1 1 1 1 1 1 1 1 1 1	15,274
761 899 131 297 157 173 205	38 1 156 255 <u>246</u> 3,376	126 258 488 63 35.	257 330 481 89 673 282 2,112	13 14 540 62 629	135 6 6 87 13 14 13	57 27,633
Cans soft drink beer foodjuice aerosol Bottle caps Puli tabs Other cans darge containers	orusty new Wire Pieces Other TOTAL METAL	FISHING GEAR Net fragments Fishing line Buoys Inc Net floats Light sticks Crab traps Other TOTAL FISHING GEAR	PAPER Bags Cups Carlons Newspaper Pieces Other	WCOD Pallets Crates Pieces Other TOTAL WCOD	CLOTHING Shoey sandals Gaps Underwear Shirts Raints Rags Socks Other	OTHER Total

APPENDIX E LITTER COLLECTED AT MMS ADOPTED BEACH AT FOURCHON, 1987-1988

<u>Litter Category</u>	September 1987	December 1987	April 1988	July 1988
PLASTIC				
bags	1,016	591	534	370
blue salt bags	15	17	16	27
caps, lids six-pack holders	274 227	215 92	221 63	151 102
bottles	221	32	03	102
miscellaneous	17	0	0	0
soft drink	364	109	109	228
cleaners food	161 156	54 49	80 94	36
rope	217	104	260	61 96
cups, utensils	372	93	123	160
milk, water jugs	266	107	151	82
large sheeting	67	54	14	12
strapping bands	25	22	19	15
vegetable sacks straws	23 50	23 9	7 13	8 17
write-protect rings	6	3	4	0
gloves	36	50	62	18
toys	15	15	14	15
buckets diapers	15 59	8 34	15 15	3 52
lighters	28	43	11	16
hardhats	2	1	1	0
tobacco "cans"	29	20	24	32
pipe thread prot. baskets/crates	1 17	5 9	5 6	0 6
filters	12	10	12	3
pieces	173	225	63	59
other	243	110	224	42
TOTAL PLASTIC (no. of items)	3,886	2,072	2,160	1,611
RUBBER				
tires	23	9	10	2
other	96	15	40	19
TOTAL RUBBER (no. of items)	119	24	50	21
GLASS				
bottles/jars				_
miscellaneous	6	4	40 189	7 246
soft drink beer	373 369	158 132	264	321
wine cooler	38	23	23	48
food	64	45	79	47
light bulbs	27	34	35 10	12 1
fluorescent tubes pieces	3 222	2 75	283	166
other	. 2	, o	28	10
TOTAL GLASS (no. of items)	1,104	473	951	858
POLYSTYRENE				
cups	942	303	456	234
food trays	353	137	56	103
egg cartons	81	42 17	47 15	26 9
packing pieces	50 540	17 316	15	281
TOTAL POLYSTYRENE	1,966	815	709	653
(no. of items)	-,			

1987 1'	ember April July 1987 1988 1988
METAL	700 1700
beer 453 1 food/juice 58 aerosol 77 bottle caps 72 pull tabs 132	82 119 82 83 280 163 43 39 18 63 124 19 35 57 33 17 16 30 24 34 23
large containers 22 drums	2 5 3
rusty 8 new 0 wire 81 pieces 124 other <u>135</u>	0 0 1 0 1 0 12 74 11 24 102 17 31 185 26 16 1,036 426
FISHING GEAR net fragments 71 fishing line 146 buoys 19 net floats 30 light sticks 10 crab traps 4 other 50 TOTAL FISHING GEAR 330 I (no. of items)	11 26 2 71 71 18 4 4 2 17 9 4 4 14 2 2 3 1 5 4 34 14 131 63
other <u>170</u>	74 58 118 84 55 68 72 64 109 10 11 13 65 172 172 84 38 180 89 398 660
WOOD pallets 1 crates 3 pieces 151 other 14 TOTAL WOOD (no. of items) 169	1 5 0 3 2 1 36 164 31 2 20 7 42 191 39
CLOTHING	21 18 10 2 0 1 1 2 0 3 4 2 16 15 21 7 11 4 9 - 16 8 59 - 66 46
OTHER34	6 52 2
TOTAL 10,128 4,6	5,744 4,379

